§ 37.45

covered, a list of licensee personnel in attendance, and related information.

- (d) Protection of information. (1) Except as provided in paragraph (d)(9) of this section, licensees authorized to possess category 1 or category 2 quantities of radioactive material shall limit access to and unauthorized disclosure of their security plan, implementing procedures, and the list of individuals that have been approved for unescorted access.
- (2) Efforts to limit access shall include the development, implementation, and maintenance of written policies and procedures for controlling access to, and for proper handling and protection against unauthorized disclosure of, the security plan and implementing procedures.
- (3) Before granting an individual access to the security plan or implementing procedures, licensees shall:
- (i) Evaluate an individual's need to know the security plan or implementing procedures; and
- (ii) If the individual has not been authorized for unescorted access to category 1 or category 2 quantities of radioactive material, safeguards information, or safeguards information-modified handling, the licensee must complete a background investigation to deindividual's termine the trustworthiness and reliability. A trustworthiness and reliability determination shall be conducted by the reviewing official and shall include the background investigation elements contained in $\S37.25(a)(2)$ through (a)(7).
- (4) Licensees need not subject the following individuals to the background investigation elements for protection of information:
- (i) The categories of individuals listed in 37.29(a)(1) through (13); or
- (ii) Security service provider employees, provided written verification that the employee has been determined to be trustworthy and reliable, by the required background investigation in §37.25(a)(2) through (a)(7), has been provided by the security service provider.
- (5) The licensee shall document the basis for concluding that an individual is trustworthy and reliable and should be granted access to the security plan or implementing procedures.

- (6) Licensees shall maintain a list of persons currently approved for access to the security plan or implementing procedures. When a licensee determines that a person no longer needs access to the security plan or implementing procedures or no longer meets the access authorization requirements for access to the information, the licensee shall remove the person from the approved list as soon as possible, but no later than 7 working days, and take prompt measures to ensure that the individual is unable to obtain the security plan or implementing procedures.
- (7) When not in use, the licensee shall store its security plan and implementing procedures in a manner to prevent unauthorized access. Information stored in nonremovable electronic form must be password protected.
- (8) The licensee shall retain as a record for 3 years after the document is no longer needed:
- (i) A copy of the information protection procedures; and
- (ii) The list of individuals approved for access to the security plan or implementing procedures.
- (9) Licensees that possess safeguards information or safeguards information-modified handling are subject to the requirements of §73.21 of this chapter, and shall protect any safeguards information or safeguards information-modified handling in accordance with the requirements of that section.

§ 37.45 LLEA coordination.

- (a) A licensee subject to this subpart shall coordinate, to the extent practicable, with an LLEA for responding to threats to the licensee's facility, including any necessary armed response. The information provided to the LLEA must include:
- (1) A description of the facilities and the category 1 and category 2 quantities of radioactive materials along with a description of the licensee's security measures that have been implemented to comply with this subpart; and
- (2) A notification that the licensee will request a timely armed response by the LLEA to any actual or attempted theft, sabotage, or diversion of category 1 or category 2 quantities of material.

- (b) The licensee shall notify the appropriate NRC regional office listed in §30.6(a)(2) of this chapter within 3 business days if:
- (1) The LLEA has not responded to the request for coordination within 60 days of the coordination request; or
- (2) The LLEA notifies the licensee that the LLEA does not plan to participate in coordination activities.
- (c) The licensee shall document its efforts to coordinate with the LLEA. The documentation must be kept for 3 years.
- (d) The licensee shall coordinate with the LLEA at least every 12 months, or when changes to the facility design or operation adversely affect the potential vulnerability of the licensee's material to theft, sabotage, or diversion.

§ 37.47 Security zones.

- (a) Licensees shall ensure that all aggregated category 1 and category 2 quantities of radioactive material are used or stored within licensee-established security zones. Security zones may be permanent or temporary.
- (b) Temporary security zones must be established as necessary to meet the licensee's transitory or intermittent business activities, such as periods of maintenance, source delivery, and source replacement.
- (c) Security zones must, at a minimum, allow unescorted access only to approved individuals through:
- (1) Isolation of category 1 and category 2 quantities of radioactive materials by the use of continuous physical barriers that allow access to the security zone only through established access control points. A physical barrier is a natural or man-made structure or formation sufficient for the isolation of the category 1 or category 2 quantities of radioactive material within a security zone; or
- (2) Direct control of the security zone by approved individuals at all times; or
- (3) A combination of continuous physical barriers and direct control.
- (d) For category 1 quantities of radioactive material during periods of maintenance, source receipt, preparation for shipment, installation, or source removal or exchange, the licensee shall, at a minimum, provide sufficient individuals approved for unescorted access

- to maintain continuous surveillance of sources in temporary security zones and in any security zone in which physical barriers or intrusion detection systems have been disabled to allow such activities.
- (e) Individuals not approved for unescorted access to category 1 or category 2 quantities of radioactive material must be escorted by an approved individual when in a security zone.

§ 37.49 Monitoring, detection, and assessment.

- (a) Monitoring and detection. (1) Licensees shall establish and maintain the capability to continuously monitor and detect without delay all unauthorized entries into its security zones. Licensees shall provide the means to maintain continuous monitoring and detection capability in the event of a loss of the primary power source, or provide for an alarm and response in the event of a loss of this capability to continuously monitor and detect unauthorized entries.
- (2) Monitoring and detection must be performed by:
- (i) A monitored intrusion detection system that is linked to an onsite or offsite central monitoring facility; or
- (ii) Electronic devices for intrusion detection alarms that will alert nearby facility personnel; or
- (iii) A monitored video surveillance system; or
- (iv) Direct visual surveillance by approved individuals located within the security zone; or
- (v) Direct visual surveillance by a licensee designated individual located outside the security zone.
- (3) A licensee subject to this subpart shall also have a means to detect unauthorized removal of the radioactive material from the security zone. This detection capability must provide:
- (i) For category 1 quantities of radioactive material, immediate detection of any attempted unauthorized removal of the radioactive material from the security zone. Such immediate detection capability must be provided by:
- (A) Electronic sensors linked to an alarm: or
- (B) Continuous monitored video surveillance; or
- (C) Direct visual surveillance.